(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))

1825S002047-WS 1825 S Crack 4 9,70 oz



Page 1 of 10

Print date: 2/24/2023

Version: 1 Revision date: 2/24/2023

Section 1: Identification.

Product identifier used on the label and Other means of identification.

Product Name: Product Code: WS 1825 S Crack 4 9,70 oz 1825S002047

Recommended use of the chemical and restrictions on use. Ensayo NDT Specific end use(s). Reservado a un uso profesional Uses advised against: Uses other than those recommended.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party.

Company:	WHALE SPRAY S.L.
Address:	Carrer Aiguafreda 24, Nave 1-2, P.I.L'Ametlla Park 08480
City:	- L'Ametlla del Vallés
Province:	Barcelona
Telephone:	+1 (615) 616-8934 (USA 24 hours emergency number)
E-mail:	whalespray@whalespray.com
Web:	https://whalespray.com/

Emergency phone number: +1 (615) 616-8934

Section 2: Hazard(s) Identification.

Classification of the chemical in accordance with paragraph (d) of §1910.1200

In accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200): Flammable aerosol, Category 1 : Extremely flammable aerosol.

Signal word, hazard statement(s), symbol(s) and precautionary statement(s) in accordance with paragraph (f) of §1910.1200.

Symbol(s):



Signal Word:

Danger

Hazard stateme	ent(s):
H222	Extremely flammable aerosol.
H229	Pressurized container: may bu

1229	Pressurized	container:	may I	burst i	f heated.
1000			1.1.1		

H336 May cause drowsiness or dizziness.

Precautionary statement(s):

P210 K	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P211 C	Do not spray on an open flame or other ignition source.
P251 P	Pressurized container: Do not pierce or burn, even after use.
P410+P412 P	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Other hazards.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))

1825S002047-WS 1825 S Crack 4 9,70 oz



Version: 1 Revision date: 2/24/2023 Page 2 of 10 Print date: 2/24/2023

Section 3: Composition/Information on Ingredients.

Substances.

Not Applicable.

Mixtures.

Chemical name and concentration ranges of all ingredients that are classified as health hazards in accordance with paragraph (d) of §1910.1200 and that are present above their cut-off/concentration limits or ingredients that are below their cut-off/concentration limits and present a health risk:

			(*)Classification	
Identifiers	Name	Concentrate	Classification	specific concentration limit
Index No: 649-083- 00-0 CAS No: 68512-91-4 EC No: 270-990-9 REACH No: 01- 2119485926-20-XXXX	Hydrocarbons, C3-4-rich, petroleum distillate, Petroleum gas, [A complex combination of hydrocarbons produced by distillation and condensation of crude oil. It consists of hydrocarbons having carbon numbers in the range of C3 through C5, predominantly C3 through C4.]	40 - 80 %	Flam. Gas 1, H220	-

(*)The complete text of the Hazard statement(s) is given in section 16 of this Safety Data Sheet.

Section 4: First-Aid Measures.

Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance.

Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

Most important symptoms and effects, both acute and delayed.

No known acute or delayed effects from exposure to the product.

Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

Section 5: Fire-Fighting Measures.

In case of fire, as a general hazard, heat can cause containers to explode.

The product is Extremely inflammable, it can cause or considerably worsen a fire, the necessary prevention measures should be taken and risks avoided. In case of fire, the following measures are recommended:

Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media:

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))

1825S002047-WS 1825 S Crack 4 9,70 oz



Revision date: 2/24/2023



Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

Special hazards arising from the mixture.

Special risks.

Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health.

During a fire and depending on its magnitude the following may occur:

- Flammable vapors or gases.
- Explosions.

Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Follow the instructions given in the emergency or fire evacuation plan or plans if available. Move containers away from the area if there is no danger in doing so. Keep away from containers and continue cooling them from a safe place.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots. During extinction and depending on the magnitude and proximity to the fire, additional protective equipment such as chemical protection gloves, heat-reflecting suits or gas-tight suits may be required.

Section 6: Accidental Release Measures.

Personal precautions, protective equipment, and emergency procedures.

Eliminate possible ignition points and ventilate the area. No smoking. Avoid breathing fumes. Isolate the area and ensure adequate ventilation. Stockpiling in basements, pits or any confined space or depressed area can be hazardous. For exposure control and individual protection measures, see section 8.

Environmental precautions: Product not classified as hazardous for the environment, avoid spillage as much as possible.

Methods and materials for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

Reference to other sections: for exposure control and individual protection measures, see section 8, for later elimination of waste, follow the recommendations under section 13.

Section 7: Handling and Storage.

Precautions for safe handling.

The fumes are heavier than air and can spread across the ground. They can form explosive mixtures with air. Prevent the creation of flammable or explosive fume concentrations in the air; prevent fume concentrations above work exposure limits. The product must only be used in areas where all unprotected flames and other ignition points have been eliminated. Electrical equipment has to be protected according to applicable standards.

The product can be electrostatically charged: always use earth grounds when transferring the product. Operators must use antistatic footwear and clothing, and floors must be conductors.

Keep the container tightly closed and isolated from heat sources, sparks, and fire. Do not use tools that can cause sparks. For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Pressurised gases must be handled by suitably trained and experienced individuals. Use equipment suitable for supply pressure and temperature. Protect containers against physical damage and keep valves clean and in perfect condition. Do not tamper with original packaging.

Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 ° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. It must not be

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))

1825S002047-WS 1825 S Crack 4 9,70 oz



Version: 1

Revision date: 2/24/2023

stored under conditions conducive to corrosion of the container. Protect containers against physical damage and inspect them regularly to ensure they are in good condition.

Section 8: Exposure Controls/Personal Protection.

8.1 Control parameters.

The product does NOT contain substances with Professional Exposure Environmental Limit Values. The product does NOT contain substances with Biological Limit Values.

Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %		
Uses:	Ensayo NDT		
Breathing protecti			
PPE:	Filter mask for protection against gases and particles.		
Characteristics:	«CE» marking, category III. The mask must have a wide field of vision and an anatomically designed form in order to be sealed and watertight.		
Maintenance:	Should not be stored in places exposed to high temperatures and damp environments before use. Special attention should be paid to the state of the inhalation and exhalation valves in the face adaptor. Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach		
Observations:	the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols: P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer.		
Filter Type needed:	A2		
Hand protection:			
PPE:	Work gloves.		
Characteristics:	«CE» marking, category I.		
Maintenance:	Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.		
Observations:	Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.		
Material:	Breakthrough time (min.): > 480 Material thickness (mm): 0,35		
Eye protection:			
PPE: Characteristics:	Face shield. «CE» marking, category II. Face and eye protector against splashing liquid.		
Maintenance:	Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move smoothly.		
Observations:	Face shields should offer a field of vision with a dimension in the central line of, at least, 150 mm vertically once attached to the frame.		
Skin protection:	· · · · · · · · · · · · · · · · · · ·		
PPE:	Anti-static protective clothing.		
Characteristics:	«CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.		
Maintenance:	In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.		
Observations:	The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.		
PPE:	Anti-static safety footwear.		
Characteristics:	«CE» marking, category II.		
Maintenance:	The footwear should be checked regularly		

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))

1825S002047-WS 1825 S Crack 4 9,70 oz

Version: 1

Revision date: 2/24/2023



Observations:

The level of comfort during use and acceptability are factors that are assessed very differently depending on the user. Therefore, it is advisable to try on different footwear models and, if possible, different widths.

Section 9: Physical and Chemical Properties.

Information on basic physical and chemical properties.

Appearance: Aerosol Colour: Black Odour: Not applicable/Not available due to the nature/properties of the product Odour threshold: Not applicable pH: Not applicable (Substance/mixture is non-soluble (in water)). Melting point/freezing point: Not applicable Initial boiling point or boiling range: Not applicable Flash point: Not applicable Evaporation rate: Not applicable/Not available due to the nature/properties of the product Flammability (solid, gas): Not applicable Lower Explosive Limit: Not applicable Upper Explosive Limit: Not applicable Vapour pressure: Not applicable Vapour density: Not applicable Relative density: 0.77 Solubility: Not applicable Liposolubility: Not applicable Hydrosolubility: Not applicable Partition coefficient (n-octanol/water): Not applicable Auto-ignition temperature: Not applicable Decomposition temperature: Not applicable Viscosity: Not applicable/Not available due to the nature/properties of the product

Other information.

Explosive properties: Not applicable/Not available due to the nature/properties of the product Oxidizing properties: Not applicable/Not available due to the nature/properties of the product Pour point: Not applicable/Not available due to the nature/properties of the product Blink: Not applicable/Not available due to the nature/properties of the product Kinematic viscosity: Not applicable

Section 10: Stability and Reactivity.

Reactivity.

If the storage conditions are satisfied, does not produce dangerous reactions.

Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

Possibility of hazardous reactions.

Extremely flammable aerosol.

Conditions to avoid.

Avoid the following conditions:

- High temperature.
- Static discharge.
- Contact with incompatible materials.

- Avoid temperatures near or above the flash point. Do not heat closed containers. Avoid direct sunlight and heat, as these may cause a risk of fire.

Incompatible materials.

- Avoid the following materials:
- Explosives materials.
- Toxic materials.
- Oxidizing materials.

Hazardous decomposition products.

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))

1825S002047-WS 1825 S Crack 4 9,70 oz



Version: 1

Revision date: 2/24/2023

In case of fire, dangerous decomposition products can be generated, such as carbon monoxide and dioxide and nitrogen fumes and oxides.

Section 11: Toxicological Information.

Information on toxicological effects.

There are no tested data available on the product.

a) acute toxicity; Not conclusive data for classification.

b) skin corrosion/irritation; Not conclusive data for classification.

c) serious eye damage/irritation; Not conclusive data for classification.

d) respiratory or skin sensitisation; Not conclusive data for classification.

e) germ cell mutagenicity; Not conclusive data for classification.

f) carcinogenicity; Not conclusive data for classification.

g) reproductive toxicity; Not conclusive data for classification.

h) STOT-single exposure; Not conclusive data for classification.

i) STOT-repeated exposure; Not conclusive data for classification.

j) aspiration hazard;

Not conclusive data for classification.

Substances present in the composition listed in the National Toxicology Program (NTP) Report on Carcinogens (RoC):

This product does not contain substances listed in the National Toxicology Program (NTP) Report on Carcinogens (RoC). Substances present in the composition listed in the International Agency for Research on Cancer (IARC) Monographs:

This product does not contain substances listed in the International Agency for Research on Cancer (IARC) Monographs.

Section 12: Ecological Information.

Ecotoxicity.

No information is available regarding the ecotoxicity of the substances present.

Persistence and degradability.

No information is available regarding the biodegradability of the substances present. No information is available on the degradability of the substances present. No information is available about persistence and degradability of the product. **Bioaccumulative potential.** No information is available regarding the bioaccumulation of the substances present.

Mobility in soil.

No information is available about the mobility in soil. The product must not be allowed to go into sewers or waterways. Prevent penetration into the ground.

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))

1825S002047-WS 1825 S Crack 4 9,70 oz

Version: 1

Revision date: 2/24/2023



Other adverse effects.

No information is available about other adverse effects for the environment.

Section 13: Disposal Considerations.

Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of the Resource Conservation and Recovery Act (RCRA) and the Resource Conservation and Recovery Act Information (RCRAInfo) regarding waste management.

Section 14: Transport Information.

Transport following the rules of U.S. Department of transportation Pipeline and Hazardous Materials Safety Administration.

In accordance with DOT

Transport document description: UN1950 Aerosols, flammable, (each not exceeding 1 L capacity), 2.1

UN-No.(DOT): UN1950

Proper Shipping Name (DOT): Aerosols, flammable, (each not exceeding 1 L capacity)

Class (DOT): 2.1 - Flammable gas

Hazard labels (DOT): 2.1 - Flammable gas

Packing group:

Special Provisions (172.102): N82

Packaging authorizations:

- a) Exceptions: 306
- b) Non-bulk: None
- c) Bulk: None

Quantity Limitations:

- a) Passenger, Aircraft, or Railcar: 75 kg
- b) Cargo Aircraft Only: 150 kg

Vessel Stowage Requirements:

a) Vessel Stowage: A b) Other: 25, 87, 126

Regulations Concerning the International Carriage of Dangerous Goods by Road (ADR)

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))

1825S002047-WS 1825 S Crack 4 9,70 oz

Version: 1 Revision date: 2/24/2023 Page 8 of 10 Print date: 2/24/2023

UN number.

UN No: UN1950

UN proper shipping name.

Description: ADR/RID: UN 1950, AEROSOLS, 2.1 IMDG: UN 1950, AEROSOLS, 2.1 ICAO/IATA: UN 1950, AEROSOLS, 2.1

Transport hazard class(es).

Class(es): 2

Packing group.

Packing group: Not applicable.

Environmental hazards.

Marine pollutant: No

Transport in bulk according to Annex II of MARPOL and the IBC Code. The product is not transported in bulk.

Special precautions for user.

Labels: 2.1



Hazard number: Not applicable. ADR LQ: 1 L IMDG LQ: 1 L ICAO LQ: Not applicable.

Provisions concerning carriage in bulk ADR: Not authorized carriage in bulk in accordance with ADR. Transport by ship, FEm 3 Emergency sheets (F 3 Fire, S - Spills): F-D,S-U Proceed in accordance with point 6.

Section 15: Regulatory Information.

Safety, health and environmental regulations specific for the product.

Volatile organic compound (VOC) VVOC content (p/p): 0 % VVOC content: 0 g/l VOC content: 762.3 g/l SVOC content: 762.3 g/l SVOC content: 0 g/l VVOC: Very volatile organic compounds. VOC: Volatile organic compounds. SVOC: Semi volatile organic compounds. **Europe:** VOC content (p/p): 98,9 % VOC content: 767,464 g/l

Information on the TSCA Inventory (Toxic Substances Control Act) USA:

CAS No	Name	State
68512-91-4	Hydrocarbons, C3-4-rich, petroleum distillate, Petroleum gas, [A complex combination of hydrocarbons produced by distillation and condensation of crude oil. It consists of hydrocarbons having carbon numbers in the range of C3 through C5, predominantly C3 through C4.]	Registered

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))

1825S002047-WS 1825 S Crack 4 9,70 oz



Version: 1 Revision date: 2/24/2023

The product is not affected by the procedure established by the Rotterdam Convention, concerning the export and import of dangerous chemicals.

The Superfund Amendments and Reauthorization Act (SARA).

SARA Title III and it sets requirements for local and state emergency planning around hazardous chemicals, the right of the public to access information on chemical hazards in their community, and the reporting responsibilities for facilities that use, store, and / or release hazardous chemicals.

SARA Title III has four provisions (any facility with responsibilities under one section will likely have additional responsibilities under another section, consult SARA for more information):

- -Emergency Planning (Sections 301-303)
- -Emergency Release Notification (Section 304)

-Hazardous Chemical Storage Reporting Requirements (Section 311-312)

-Toxic Chemical Release Inventory (Section 313)

Information related to the product:

Section 302, Extremely Hazardous Substances (EHSs)(40 CFR part 355 Appendix A and Appendix B) and section 304, in the event of an accidental chemical release that exceeds minimal Reportable Quantity (RQ):

Not Applicable.

Section 311, Requires facilities with hazardous chemicals in quantities above certain thresholds (consult OSHA for more information) to provide copies of the SDSs for those chemicals to the State Emergency Response Commission (SERC), Local Emergency Planning Committee (LEPC) and local fire department.

Section 312, Companies with chemicals in sufficient quantities to trigger obligations under Section 311 must also submit an annual emergency and hazardous chemical inventory form to the State Emergency Response Commission (SERC), Local Emergency Planning Committee (LEPC) and local fire department

Section 313, requires facilities with 10 or more employees that use certain toxic chemicals in quantities above threshold levels to report annually on the use, release and disposal of those chemicals, substances identified in section 3:

Not Applicable.

Visit the EPAS website for the most up-to-date information on EPCRA and other environmental considerations.

Proposition 65 warnings

Information related to The Safe Drinking Water and Toxic Enforcement Act of 1986, (better known by its original name of Proposition 65):

There are no substances in section 3 present in the list of chemicals that can cause cancer, birth defects or other reproductive harm (Proposition 65 List).

Section 16: Other Information.

Complete text of the hazard statement(s) that appear in section 3:

H220 Extremely flammable gas.

Classification codes:

Aerosol 1 : Flammable aerosol, Category 1 Flam. Gas 1 : Flammable gas, Category 1 :

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))

1825S002047-WS 1825 S Crack 4 9,70 oz



Version: 1 Revision date: 2/24/2023

Classification and procedure used to derive the classification for mixtures according to The Hazard Communication Standard (HCS) (29 CFR 1910.1200):

Physical hazards Health hazards Environmental hazards On basis of test data Calculation method Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Risk classification system NFPA 704:



Health hazard: 0 (Normal Material)

Flammability: 4 (Below 73°F)

Reactivity: 1 (Unstable if heated)

Abbreviations and acronyms used:

ADR/RID: European Agreement concerning the International Carriage of Dangerous Goods by Road.

PPE: Personal protection equipment.

IATA: International Air Transport Association.

ICAO: International Civil Aviation Organization.

IMDG: International Maritime Code for Dangerous Goods.

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.

Key literature references and sources for data:

The Hazard Communication Standard (HCS) (29 CFR 1910.1200)

United Nations Globally Harmonized System of Classification and Labelling of Chemicals (GHS) https://www.osha.gov https://www.epa.gov/

http://echa.europa.eu/

The information given in this Safety Data Sheet has been drafted in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200) and United Nations Globally Harmonized System of Classification and Labelling of Chemicals (GHS). Employers must ensure that the SDSs are readily accessible to employees for all hazardous chemicals in their workplace.

The information in this Safety Data Sheet on the Preparation is based on current knowledge and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.